

AMENDMENTS TO THE CLAIMS

Claim 1. (currently amended) A video camera apparatus comprising:

B1
Cont

a solid image sensor for outputting an image sensing signal in an interlace scan mode or a progressive scan mode; wherein an image sensing charge in each pixel of the solid image sensor is output in the progressive scan mode and the image sensing charges from adjacent vertical pixels of the solid image sensor are added in the solid image sensor and output in the interlace scan mode;

image sensing signal processing means supplied with the image sensing signal from the solid image sensor;

removable memory means for storing the image sensing signal read out from the solid image sensor in the progressive scan mode;

scan converter means supplied with the image sensing signal from the image sensing signal processing means, for converting the image sensing signal ~~read out from the solid image sensor in the progressive scan mode, into an interlace scan signal and for~~ converting the image sensing signal in the interlace scan mode, into a progressive scan signal;

control means for performing control of switching an input to recording means, in correspondence with an operation mode of the solid image sensor; and

the recording means for recording the image sensing signal read out from the solid image sensor in the interlace scan mode or the progressive scan mode, directly onto a recording medium, and for converting the image sensing signal read out from the solid image sensor or the removable memory means in the progressive scan mode, into an

interlace scan signal, by the scan converter means, and then recording the interlace scan signal onto the recording medium.

B1
Cont

Claim 2. (original) A video camera apparatus according to claim 1, further comprising switching means for performing switching between still image recording and motion image recording.

Claim 3. (original) A video camera apparatus according to claim 1, further comprising switching means for switching a reading mode of the solid image sensor to a progressive scan mode when the recording medium is a memory card.

Claim 4. (original) A video camera apparatus according to claim 1, further comprising switching means for switching the operation mode of the solid image sensor to the progressive scan mode and the interlace scan mode.

Claim 5. (original) A video camera apparatus according to claim 2, further comprising switching means for switching the operation mode of the solid image sensor to the progressive scan mode, when the still image recording is performed.

Claim 6. (currently amended) An image signal recording method comprising the steps of:

outputting an image sensing signal in an interlace scan mode or a progressive scan mode from a solid image sensor; wherein an image sensing charge in each pixel of the

B1
Cont

solid image sensor is output in the progressive scan mode and the image sensing charges from adjacent vertical pixels of the solid image sensor are added in the solid image sensor and output in the interlace scan mode;

storing the image sensing signal read out from the solid image sensor in the progressive scan mode in a removable memory;

signal processing the image sensing signal output from the solid image sensor in the progressive scan mode to convert the image sensing signal into an interlace scan signal and signal processing the image sensing signal in the interlace scan mode, into a progressive scan signal; and

recording, onto a recording medium, the image sensing signal read from the solid image sensor in the interlace scan mode or the progressive scan mode, or an image sensing signal obtained by converting the image sensing signal read from the solid image sensor in the progressive scan mode, into an interlace signal.

Claim 7. (original) An image recording method according to claim 6, further comprising a step of making switching between still image recording and motion image recording.

Claim 8. (original) An image recording method according to claim 6, further comprising a step of controlling the solid image sensor to be switched to the progressive scan mode when still image recording is performed.

Claim 9. (original) An image recording method according to claim 6, further comprising a step of controlling a reading mode of the solid image sensor to be switched to the progressive scan mode when the recording medium is a memory card.

B1
endl

Claim 10. (original) An image recording method according to claim 6, further comprising a step of switching an operation mode of the solid image sensor to the progressive scan mode and the interlace scan mode when the recording medium is a magnetic recording medium.
